

## बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	19-06-2026 16:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	19-06-2026 16:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Commerce And Industry
विभाग का नाम/Department Name	Department For Promotion Of Industry & Internal Trade
संगठन का नाम/Organisation Name	National Industrial Corridor Development Corporation Limited
कार्यालय का नाम/Office Name	Nicdc Logistics Data Services Limited New Delhi
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	atanu.manna@nidsl.in
कुल मात्रा/Total Quantity	9
वस्तु श्रेणी /Item Category	Steel Porta Cabin (Q3)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

बिड विवरण/Bid Details	
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	5
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Steel Porta Cabin
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

#### ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

#### ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

**लाभार्थी /Beneficiary :**

NLDSL

NICDC LOGISTICS DATA SERVICES LIMITED NEW DELHI, Department for Promotion of Industry & Internal Trade, National Industrial Corridor Development Corporation Limited, Ministry of Commerce and Industry (Nidc Logistic Data Services Limited)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

**एमएसई खरीद वरीयता/MSE Purchase Preference**

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity

during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. **Purchase preference to Micro and Small Enterprises (MSEs):**Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

#### मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** ( Item Wise Evaluation Method )

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / <b>Evaluation Schedules</b>	वस्तु/श्रेणी / <b>Item/Category</b>	मात्रा / <b>Quantity</b>
Schedule 1	Steel Porta Cabin	2
Schedule 2	Steel Porta Cabin	3
Schedule 3	Steel Porta Cabin	1
Schedule 4	Steel Porta Cabin	1
Schedule 5	Steel Porta Cabin	1

**Steel Porta Cabin ( 2 pieces )**

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

**तकनीकी विशिष्टियाँ /Technical Specifications**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PANEL MATERIAL	<b>Side wall panel material</b>	1.25 mm thick corrugated HR sheet
	<b>Door panel material</b>	Flush door 32 mm thick water proof.
	<b>Window panel material</b>	Powder coated aluminium sliding windows with 4 mm tinted Glass
	<b>Door and Window canopy material</b>	1.25 mm thick corrugated HR sheet
	<b>Floor panels material</b>	15 mm heavy duty cement fiber board inside and outside texture paint.
	<b>Roof panel material</b>	1.25 m thick corrugated HR sheet
	<b>Insulation material for sides and End walls</b>	30 mm high density thermocol.
	<b>Insulation material for Roof</b>	30 mm high density thermocol.
	<b>Inside panel material for sides, end walls &amp; roof</b>	Consists of 8 mm thick pre-laminated board.
GENERIC	<b>Configuration of Cabin</b>	With one room - one toilet and one pantry
	<b>Approval of Advance sample</b>	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval.
	<b>Time period for completion of Erection work at site by seller</b>	Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work
	<b>Suitability / structural stability / completeness of structures, the structure is intended for use in</b>	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.
	<b>Type of slope(roof)</b>	Two way slope.
	<b>Storage provision</b>	N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Provision for Power Connection</b>	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	<b>Wiring</b>	Concealed wiring
	<b>Provision for Cable , Switches and Junction box connection</b>	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin.
	<b>Other requirements</b>	Not required.
FRAME MATERIAL	<b>Roof frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Side Panel frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Floor panel frame</b>	MS having 50 mm x 50 mm x 1.2 mm
Dimensions and Thickness	<b>Inside Length <math>\pm</math> 15 mm</b>	3050 mm
	<b>Inside Width <math>\pm</math> 15 mm</b>	3050 mm
	<b>Total Height (mm) <math>\pm</math> 15mm</b>	2590 mm
	<b>Roof projection (if any) <math>\pm</math> 10 mm</b>	N.A
	<b>Total thickness of Wall panel <math>\pm</math> 2 mm</b>	40 mm
	<b>Total thickness of Door panel <math>\pm</math> 2 mm</b>	35 mm
	<b>Roof ridge height <math>\pm</math> 10 mm</b>	N.A
	<b>Almirah / Cabinet size <math>\pm</math> 5 mm</b>	N.A
MISCELENIUS	<b>Electric fittings</b>	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.
	<b>Number of Windows</b>	2 nos. windows
	<b>Roof ridge</b>	N.A
	<b>Flashing item (U track, L corner etc)</b>	N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Locking / Security</b>	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.
COLOUR AND FINISH	<b>Colour</b>	White
	<b>Top coat</b>	Chlorinated rubber paint 50 microns.
	<b>Paint outside</b>	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation.
	<b>Inside finish</b>	Wall internal cladding by 50 mm thick glasswood with 6 mm prelaminated plywood with white colour sunmica fixed with aluminium stiffener and rivets
	<b>Logo (if any)</b>	No logo
CERTIFICATION	<b>Test reports to be furnished to buyer's on demand</b>	Yes
	<b>OEM of offered product is ISO 9001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 14001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 18001:2007 certified</b>	Yes

#### Additional Specification Parameters - Steel Porta Cabin ( 2 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Terms and conditions including Specifications	As per Attached document
Delivery Location	Kolkata Port SMP, Kolkata, Subhash Bhavan Kolkata Port 7 No Gate, 40 Circular Graden Reach Road, Kolkata West Bengal- 700043 Contact Person: Sanjeeb Nayak Mobile: 88103 30470 Haldia Port: - Anjan Parui- 8240925655 Haldia Dock Complex (Main Gate) Near Ranichowk (Haldia) Purba Medinipur Haldia-West Bengal- 721604. Contact Person: Sanjeeb Nayak Mobile: 88103 30470

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Atanu Manna	110001,Flat No. 302 C, 03rd Floor, World Trade Centre, Babar Road, New Delhi - 110001 CIN: U74999DL2015PLC418260	2	30

### Steel Porta Cabin ( 3 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PANEL MATERIAL	<b>Side wall panel material</b>	1.25 mm thick corrugated HR sheet
	<b>Door panel material</b>	Flush door 32 mm thick water proof.
	<b>Window panel material</b>	Powder coated aluminium sliding windows with 4 mm tinted Glass
	<b>Door and Window canopy material</b>	18 gauge MS corrugated sheet.
	<b>Floor panels material</b>	19 mm thick marine grade plywood confmg. to IS 710 / latest to be laid on top and secured by self - tapping screws to the base members - Covered with 2 mm thick PVC sheets.
	<b>Roof panel material</b>	18 gauge MS corrugated sheet
	<b>Insulation material for sides and End walls</b>	With 50 mm thick glass wool
	<b>Insulation material for Roof</b>	With 75 mm thick glass wool
	<b>Inside panel material for sides, end walls &amp; roof</b>	Consists of 8 mm thick pre-laminated board.
GENERIC	<b>Configuration of Cabin</b>	With one Room and Verandah.
	<b>Approval of Advance sample</b>	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval.
	<b>Time period for completion of Erection work at site by seller</b>	Within 20 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Suitability / structural stability / completeness of structures, the structure is intended for use in</b>	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.
	<b>Type of slope(roof)</b>	One way slope.
	<b>Storage provision</b>	1 no. Wooden Cabinet
	<b>Provision for Power Connection</b>	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	<b>Wiring</b>	Concealed wiring
	<b>Provision for Cable , Switches and Junction box connection</b>	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin.
	<b>Other requirements</b>	All necessary required permissions from civic agencies for installation and commissioning to be arranged by seller - necessary assistance / documents required to be provided by Buyer.
FRAME MATERIAL	<b>Roof frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Side Panel frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Floor panel frame</b>	MS having 50 mm x 50 mm x 1.2 mm
Dimensions and Thickness	<b>Inside Length ± 15 mm</b>	3050 mm
	<b>Inside Width ± 15 mm</b>	3050 mm
	<b>Total Height (mm) ± 15mm</b>	2590 mm
	<b>Roof projection (if any) ± 10 mm</b>	305 mm to be given on all sides at full height of cabins.
	<b>Total thickness of Wall panel ± 2 mm</b>	75 mm
	<b>Total thickness of Door panel ± 2 mm</b>	40 mm
	<b>Roof ridge height ± 10 mm</b>	Total height (i.e. height of side panels) + 610 mm
	<b>Almirah / Cabinet size ± 5 mm</b>	760 mm x 405 mm x 750 mm

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MISCELENIIOUS	<b>Electric fittings</b>	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.
	<b>Number of Windows</b>	2 nos. windows
	<b>Roof ridge</b>	To be made out from 0.45 mm thick PPGI sheet.
	<b>Flashing item (U track, L corner etc)</b>	To be made out with 0.45 mm thick PPGI sheet in require size and shape.
	<b>Locking / Security</b>	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.
COLOUR AND FINISH	<b>Colour</b>	As per Buyer's choice
	<b>Top coat</b>	Chlorinated rubber paint 50 microns.
	<b>Paint outside</b>	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation.
	<b>Inside finish</b>	Internal panels - doors - ceiling - shutter to be white finish (excluding polycarbonate / acrylic glass sheet and aluminium frames on windows)
	<b>Logo (if any)</b>	No logo
CERTIFICATION	<b>Test reports to be furnished to buyer's on demand</b>	Yes
	<b>OEM of offered product is ISO 9001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 14001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 18001:2007 certified</b>	Yes

#### Additional Specification Parameters - Steel Porta Cabin ( 3 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Terms and conditions including Specifications	As per Attached document
Delivery Location	South Gate JNPT Entrance, Sheva, Navi Mumbai, Raigad District, Maharashtra - 400707, India Contact Person: Muhammad Sajjad Alam Mobile: 7418304196

\* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Atanu Manna	110001,Flat No. 302 C, 03rd Floor, World Trade Centre, Babar Road, New Delhi - 110001 CIN: U74999DL2015PLC418260	3	30

### Steel Porta Cabin ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PANEL MATERIAL	<b>Side wall panel material</b>	1.25 mm thick corrugated HR sheet
	<b>Door panel material</b>	Flush door 32 mm thick water proof.
	<b>Window panel material</b>	Powder coated aluminium sliding windows with 4 mm tinted Glass
	<b>Door and Window canopy material</b>	1.25 mm thick corrugated HR sheet
	<b>Floor panels material</b>	15 mm heavy duty cement fiber board inside and outside texture paint.
	<b>Roof panel material</b>	1.25 m thick corrugated HR sheet
	<b>Insulation material for sides and End walls</b>	30 mm high density thermocol.
	<b>Insulation material for Roof</b>	30 mm high density thermocol.
	<b>Inside panel material for sides, end walls &amp; roof</b>	Consists of 8 mm thick pre-laminated board.
GENERIC	<b>Configuration of Cabin</b>	With one room - one toilet and one pantry
	<b>Approval of Advance sample</b>	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval.
	<b>Time period for completion of Erection work at site by seller</b>	Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Suitability / structural stability / completeness of structures, the structure is intended for use in</b>	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.
	<b>Type of slope(roof)</b>	Two way slope.
	<b>Storage provision</b>	N.A
	<b>Provision for Power Connection</b>	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	<b>Wiring</b>	Concealed wiring
	<b>Provision for Cable , Switches and Junction box connection</b>	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin.
	<b>Other requirements</b>	Not required.
FRAME MATERIAL	<b>Roof frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Side Panel frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Floor panel frame</b>	MS having 50 mm x 50 mm x 1.2 mm
Dimensions and Thickness	<b>Inside Length <math>\pm</math> 15 mm</b>	3050 mm
	<b>Inside Width <math>\pm</math> 15 mm</b>	3050 mm
	<b>Total Height (mm) <math>\pm</math> 15mm</b>	2590 mm
	<b>Roof projection (if any) <math>\pm</math> 10 mm</b>	N.A
	<b>Total thickness of Wall panel <math>\pm</math> 2 mm</b>	40 mm
	<b>Total thickness of Door panel <math>\pm</math> 2 mm</b>	35 mm
	<b>Roof ridge height <math>\pm</math> 10 mm</b>	N.A
	<b>Almirah / Cabinet size <math>\pm</math> 5 mm</b>	N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
MISCELENIIOUS	<b>Electric fittings</b>	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.
	<b>Number of Windows</b>	2 nos. windows
	<b>Roof ridge</b>	N.A
	<b>Flashing item (U track, L corner etc)</b>	N.A
	<b>Locking / Security</b>	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.
COLOUR AND FINISH	<b>Colour</b>	White
	<b>Top coat</b>	Chlorinated rubber paint 50 microns.
	<b>Paint outside</b>	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation.
	<b>Inside finish</b>	Wall internal cladding by 50 mm thick glasswood with 6 mm prelaminate plywood with white colour sunmica fixed with aluminium stiffener and rivets
	<b>Logo (if any)</b>	No logo
CERTIFICATION	<b>Test reports to be furnished to buyer's on demand</b>	Yes
	<b>OEM of offered product is ISO 9001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 14001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 18001:2007 certified</b>	Yes

#### Additional Specification Parameters - Steel Porta Cabin ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Terms and conditions including Specifications	As per Attached document
Delivery Location	P72Q+MVG, Port Area, Visakhapatnam, Andhra Pradesh 530001, Near Old CISF /Customs Building Contact Person: Naresh Prabhakaran Mobile: 8148337249

\* Bidders offering must also comply with the additional specification parameters mentioned above.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Atanu Manna	110001,Flat No. 302 C, 03rd Floor, World Trade Centre, Babar Road, New Delhi - 110001 CIN: U74999DL2015PLC418260	1	30

### Steel Porta Cabin ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PANEL MATERIAL	<b>Side wall panel material</b>	1.25 mm thick corrugated HR sheet
	<b>Door panel material</b>	Flush door 32 mm thick water proof.
	<b>Window panel material</b>	Powder coated aluminium sliding windows with 4 mm tinted Glass
	<b>Door and Window canopy material</b>	18 gauge MS corrugated sheet.
	<b>Floor panels material</b>	16 mm thick marine grade plywood with Vinyl carpet.
	<b>Roof panel material</b>	18 gauge MS corrugated sheet
	<b>Insulation material for sides and End walls</b>	With 50 mm thick glass wool
	<b>Insulation material for Roof</b>	With 75 mm thick glass wool
	<b>Inside panel material for sides, end walls &amp; roof</b>	Consists of 8 mm thick pre-laminated board.
GENERIC	<b>Configuration of Cabin</b>	With one Room only.
	<b>Approval of Advance sample</b>	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval.
	<b>Time period for completion of Erection work at site by seller</b>	Within 20 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Suitability / structural stability / completeness of structures, the structure is intended for use in</b>	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.
	<b>Type of slope(roof)</b>	One way slope.
	<b>Storage provision</b>	N.A
	<b>Provision for Power Connection</b>	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer.
	<b>Wiring</b>	Surface wiring
	<b>Provision for Cable , Switches and Junction box connection</b>	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin.
	<b>Other requirements</b>	Not required.
FRAME MATERIAL	<b>Roof frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Side Panel frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Floor panel frame</b>	MS having 50 mm x 50 mm x 1.2 mm
Dimensions and Thickness	<b>Inside Length ± 15 mm</b>	3050 mm
	<b>Inside Width ± 15 mm</b>	3050 mm
	<b>Total Height (mm) ± 15mm</b>	2590 mm
	<b>Roof projection (if any) ± 10 mm</b>	N.A
	<b>Total thickness of Wall panel ± 2 mm</b>	75 mm
	<b>Total thickness of Door panel ± 2 mm</b>	40 mm
	<b>Roof ridge height ± 10 mm</b>	N.A
	<b>Almirah / Cabinet size ± 5 mm</b>	N.A
MISCELENIIOUS	<b>Electric fittings</b>	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.
	<b>Number of Windows</b>	1 no. window
	<b>Roof ridge</b>	N.A

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Flashing item (U track, L corner etc)</b>	As per Buyer's choice
	<b>Locking / Security</b>	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.
COLOUR AND FINISH	<b>Colour</b>	As per Buyer's choice
	<b>Top coat</b>	Chlorinated rubber paint 50 microns.
	<b>Paint outside</b>	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation.
	<b>Inside finish</b>	Internal panels - doors - ceiling - shutter to be white finish (excluding polycarbonate / acrylic glass sheet and aluminium frames on windows)
	<b>Logo (if any)</b>	No logo
CERTIFICATION	<b>Test reports to be furnished to buyer's on demand</b>	No
	<b>OEM of offered product is ISO 9001:2015 certified</b>	No
	<b>OEM of offered product is ISO 14001:2015 certified</b>	No
	<b>OEM of offered product is ISO 18001:2007 certified</b>	No

**Additional Specification Parameters - Steel Porta Cabin ( 1 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Terms and conditions including Specifications	As per Attached document
Delivery Location	Adani Port &SEZ, SPRH Rail siding, PO Box No 1, Mundra, Kutch- Gujarat- 370421 Contact Person: Saurabh Chaturvedi Mobile: 9315475497

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Atanu Manna	110001, Flat No. 302 C, 03rd Floor, World Trade Centre, Babar Road, New Delhi - 110001 CIN: U74999DL2015PLC418260	1	30

## Steel Porta Cabin ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

### तकनीकी विशिष्टियाँ /Technical Specifications

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PANEL MATERIAL	<b>Side wall panel material</b>	1.25 mm thick corrugated HR sheet
	<b>Door panel material</b>	Flush door 32 mm thick water proof.
	<b>Window panel material</b>	Powder coated aluminium sliding windows with 4 mm tinted Glass
	<b>Door and Window canopy material</b>	18 gauge MS corrugated sheet.
	<b>Floor panels material</b>	18mm thick cement board with PVC Vinyl carpet top of at least 1.5mm thickness with suitable support on bottom
	<b>Roof panel material</b>	18 gauge MS corrugated sheet
	<b>Insulation material for sides and End walls</b>	With 50 mm thick glass wool
	<b>Insulation material for Roof</b>	With 75 mm thick glass wool
	<b>Inside panel material for sides, end walls &amp; roof</b>	Consists of 8 mm thick pre-laminated board.
GENERIC	<b>Configuration of Cabin</b>	One no. Toilet (comprising of 2 Urine pot, 1 Toilet Room with Sheet and 1 no. Wash basin)
	<b>Approval of Advance sample</b>	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval.
	<b>Time period for completion of Erection work at site by seller</b>	Within 30 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work
	<b>Suitability / structural stability / completeness of structures, the structure is intended for use in</b>	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.
	<b>Type of slope(roof)</b>	Two way slope.
	<b>Storage provision</b>	1 no. Wooden Cabinet
	<b>Provision for Power Connection</b>	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Wiring</b>	Concealed wiring
	<b>Provision for Cable , Switches and Junction box connection</b>	As per Buyer's choice
	<b>Other requirements</b>	All necessary required permissions from civic agencies for installation and commissioning to be arranged by seller - necessary assistance / documents required to be provided by Buyer.
FRAME MATERIAL	<b>Roof frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Side Panel frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Floor panel frame</b>	MS having 50 mm x 50 mm x 1.2 mm
Dimensions and Thickness	<b>Inside Length <math>\pm 15</math> mm</b>	3050 mm
	<b>Inside Width <math>\pm 15</math> mm</b>	3050 mm
	<b>Total Height (mm) <math>\pm 15</math>mm</b>	2440 mm
	<b>Roof projection (if any) <math>\pm 10</math> mm</b>	305 mm to be given on all sides at full height of cabins.
	<b>Total thickness of Wall panel <math>\pm 2</math> mm</b>	75 mm
	<b>Total thickness of Door panel <math>\pm 2</math> mm</b>	40 mm
	<b>Roof ridge height <math>\pm 10</math> mm</b>	Total height (i.e. height of side panels) + 610 mm
	<b>Almirah / Cabinet size <math>\pm 5</math> mm</b>	760 mm x 405 mm x 750 mm
MISCELENIIOUS	<b>Electric fittings</b>	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.
	<b>Number of Windows</b>	2 nos. windows
	<b>Roof ridge</b>	To be made out from 0.45 mm thick PPGI sheet.
	<b>Flashing item (U track, L corner etc)</b>	N.A
	<b>Locking / Security</b>	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.
COLOUR AND FINISH	<b>Colour</b>	As per Buyer's choice
	<b>Top coat</b>	Chlorinated rubber paint 50 microns.
	<b>Paint outside</b>	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Inside finish</b>	Inner panelling in all walls and roof provided with Decorative laminated sheet fixed on moisture resistant plywood
	<b>Logo (if any)</b>	Approved logo of desired size to be painted as per Buyer's requirement.
CERTIFICATION	<b>Test reports to be furnished to buyer's on demand</b>	Yes
	<b>OEM of offered product is ISO 9001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 14001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 18001:2007 certified</b>	Yes

#### Additional Specification Parameters - Steel Porta Cabin ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Terms and conditions including Specifications	As per Attached document
Delivery Location	Adani Hazira Port C T Out Gate, Near Jetty At & Post, Hazira Choriyasi, Surat, Gujarat- 394270 Contact Person: Saurabh Chaturvedi Mobile: 9315475497

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Atanu Manna	110001, Flat No. 302 C, 03rd Floor, World Trade Centre, Babar Road, New Delhi - 110001 CIN: U74999DL2015PLC418260	1	30

#### Steel Porta Cabin ( 1 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
PANEL MATERIAL	<b>Side wall panel material</b>	1.25 mm thick corrugated HR sheet
	<b>Door panel material</b>	Flush door 32 mm thick water proof.
	<b>Window panel material</b>	Powder coated aluminium sliding windows with 4 mm tinted Glass
	<b>Door and Window canopy material</b>	Fibreglass Reinforced plastics (F.R.P).
	<b>Floor panels material</b>	24 mm Block board thickness with FRP coating checkers style.
	<b>Roof panel material</b>	Fibreglass Reinforced plastics (F.R.P)
	<b>Insulation material for sides and End walls</b>	With 50 mm thick glass wool
	<b>Insulation material for Roof</b>	With 75 mm thick glass wool
	<b>Inside panel material for sides, end walls &amp; roof</b>	Consists of 8 mm thick pre-laminated board.
GENERIC	<b>Configuration of Cabin</b>	With one Room and Verandah.
	<b>Approval of Advance sample</b>	After award of contract - Seller shall have to get proto type Advance sample approved from Buyer before manufacturing / starting Bulk supplies - Buyer shall approve / provide list of modifications required within 10 days of offer of advance sample - If there is delay in approval of advance sample from Buyer side - the delivery period shall be regularized for the period of delay in sample approval.
	<b>Time period for completion of Erection work at site by seller</b>	Within 20 days of the date of receipt of consignee's confirmation regarding completion of ground and foundation work
	<b>Suitability / structural stability / completeness of structures, the structure is intended for use in</b>	In wind condition of 55m/s - in Seismic zone V and ambient temperature range (-) 40 degree C to (+) 50 degree C - 1 M snow load standing on the roof - Roof slope 1 : 2 Cabin should be structurally stable and suitable to meet severity of these climatic condition.
	<b>Type of slope(roof)</b>	One way slope.
	<b>Storage provision</b>	1 no. Wooden Cabinet
	<b>Provision for Power Connection</b>	The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with MS pipe from the power supply point provided by the Buyer., The seller to be liable to get the Electric connection through 3 core insulated underground cable covered with PVC pipe from the power supply point provided by the Buyer., Provision for Power Connection not required., The seller to be liable for Electric Supply to Porta Cabin at one point only (suitable for 415 V 50 HZ for distribution of supply for various appliances)
	<b>Wiring</b>	Concealed wiring

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Provision for Cable , Switches and Junction box connection</b>	Seller to make appropriate provisions for cable laying - installing meter / junction box with switches - other related electrical accessories as may be require for the power supply to the Cabin.
	<b>Other requirements</b>	All necessary required permissions from civic agencies for installation and commissioning to be arranged by seller - necessary assistance / documents required to be provided by Buyer.
FRAME MATERIAL	<b>Roof frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Side Panel frame</b>	Made of MS having stiffner Top 40 mm x 20 mm x 3.2 mm thick
	<b>Floor panel frame</b>	MS having 50 mm x 50 mm x 1.2 mm
Dimensions and Thickness	<b>Inside Length <math>\pm 15</math> mm</b>	3050 mm
	<b>Inside Width <math>\pm 15</math> mm</b>	3050 mm
	<b>Total Height (mm) <math>\pm 15</math>mm</b>	2590 mm
	<b>Roof projection (if any) <math>\pm 10</math> mm</b>	305 mm to be given on all sides at full height of cabins.
	<b>Total thickness of Wall panel <math>\pm 2</math> mm</b>	75 mm
	<b>Total thickness of Door panel <math>\pm 2</math> mm</b>	40 mm
	<b>Roof ridge height <math>\pm 10</math> mm</b>	Total height (i.e. height of side panels) + 610 mm
	<b>Almirah / Cabinet size <math>\pm 5</math> mm</b>	760 mm x 405 mm x 750 mm
MISCELENIIOUS	<b>Electric fittings</b>	Only electric points to be provided for one fan - One light - One bulkhead fitting point - one 5 amp. power point with Switch board including Double pole MCB 20A with metal enclosure - continuous earth wires to be provided and also external earth terminal to be provided.
	<b>Number of Windows</b>	1 no. window
	<b>Roof ridge</b>	To be made out from 0.45 mm thick PPGI sheet.
	<b>Flashing item (U track, L corner etc)</b>	To be made out with 0.45 mm thick PPGI sheet in require size and shape.
	<b>Locking / Security</b>	Cabin have to be provision of locking Door and Windows to prevent unwanted intrusion and theft.
COLOUR AND FINISH	<b>Colour</b>	White
	<b>Top coat</b>	Chlorinated rubber paint 50 microns.
	<b>Paint outside</b>	Two coats of synthetic enamel paint to be applied on expose structure and all MS items after installation.

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	<b>Inside finish</b>	Internal panels - doors - ceiling - shutter to be white finish (excluding polycarbonate / acrylic glass sheet and aluminium frames on windows)
	<b>Logo (if any)</b>	Approved logo of desired size to be painted as per Buyer's requirement.
CERTIFICATION	<b>Test reports to be furnished to buyer's on demand</b>	Yes
	<b>OEM of offered product is ISO 9001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 14001:2015 certified</b>	Yes
	<b>OEM of offered product is ISO 18001:2007 certified</b>	Yes

#### Additional Specification Parameters - Steel Porta Cabin ( 1 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Terms and conditions including Specifications	As per Attached document
Delivery Location	APM Terminal Pipavav Port, Rampura 2 via Rajula, District Amreli, Gujarat-365560 Contact Person: Saurabh Chaturvedi Mobile: 9315475497

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N O.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Atanu Manna	110001,Flat No. 302 C, 03rd Floor, World Trade Centre, Babar Road, New Delhi - 110001 CIN: U74999DL2015PLC418260	1	30

#### क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

##### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at

the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

## 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

**The scope of work, terms and conditions, specifications, and other requirements shall be as detailed in the attached ATC document.**

**The Item wise delivery location is specified hence bidders need to quote accordingly.**

## 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**